



CALIDAD INDUSTRIAL

MECHAS CILÍNDRICAS DE ACERO RÁPIDO



Rectificado Brillante
DIN 338

MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	Cant. envas.	USD	MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	Cant. envas.	USD
21318	TB40000	0,50mm	6mm	22mm	10	2.08	21374	TB40060	4,00mm	43mm	75mm	10	1.19
21319	TB40001	0,60mm	7mm	24mm	10	2.08	21375	TB40061	4,10mm	43mm	75mm	10	1.48
21317	TB40002	0,70mm	9mm	28mm	10	2.08	21376	TB40062	4,20mm	43mm	75mm	10	1.48
21316	TB40003	0,75mm	9mm	29mm	10	1.57	21377	TB40063	4,25mm	43mm	75mm	10	1.35
21320	TB40004	0,80mm	10mm	30mm	10	1.71	21378	TB40064	4,30mm	47mm	80mm	10	1.52
21321	TB40006	0,90mm	11mm	32mm	10	1.63	21379	TB40065	4,40mm	47mm	80mm	10	1.52
21322	TB40008	1,00mm	12mm	34mm	10	1.54	21380	TB40066	4,50mm	47mm	80mm	10	1.44
21324	TB40010	1,10mm	14mm	36mm	10	1.61	21381	TB40067	4,60mm	47mm	80mm	10	1.66
21326	TB40012	1,20mm	16mm	38mm	10	1.62	21382	TB40068	4,70mm	47mm	80mm	10	1.66
21327	TB40013	1,25mm	16mm	38mm	10	1.72	21383	TB40069	4,75mm	47mm	80mm	10	1.48
21328	TB40014	1,30mm	16mm	38mm	10	1.65	21384	TB40070	4,80mm	52mm	86mm	10	1.66
21330	TB40016	1,40mm	18mm	40mm	10	1.55	21385	TB40071	4,90mm	52mm	86mm	10	1.66
21332	TB40018	1,50mm	18mm	40mm	10	1.04	21386	TB40072	5,00mm	52mm	86mm	10	1.64
21334	TB40020	1,60mm	20mm	43mm	10	1.10	21387	TB40073	5,10mm	52mm	86mm	10	1.89
21336	TB40022	1,70mm	20mm	43mm	10	1.10	21388	TB40074	5,20mm	52mm	86mm	10	1.89
21337	TB40023	1,75mm	22mm	46mm	10	0.95	21389	TB40075	5,25mm	52mm	86mm	10	1.76
21338	TB40024	1,80mm	22mm	46mm	10	1.01	21390	TB40076	5,30mm	52mm	86mm	10	1.89
21340	TB40026	1,90mm	22mm	46mm	10	1.05	21391	TB40077	5,40mm	57mm	93mm	10	1.89
21342	TB40028	2,00mm	24mm	49mm	10	0.86	21392	TB40078	5,50mm	57mm	93mm	10	1.96
21344	TB40030	2,10mm	24mm	49mm	10	1.06	21393	TB40079	5,60mm	57mm	93mm	10	1.98
21346	TB40032	2,20mm	27mm	53mm	10	1.06	21394	TB40080	5,70mm	57mm	93mm	10	2.18
21347	TB40033	2,25mm	27mm	53mm	10	0.92	21395	TB40081	5,75mm	57mm	93mm	10	2.05
21348	TB40034	2,30mm	27mm	53mm	10	1.06	21396	TB40082	5,80mm	57mm	93mm	10	2.08
21350	TB40036	2,40mm	30mm	57mm	10	1.06	21397	TB40083	5,90mm	57mm	93mm	10	2.18
21352	TB40038	2,50mm	30mm	57mm	10	0.86	21398	TB40084	6,00mm	57mm	93mm	10	2.02
21354	TB40040	2,60mm	30mm	57mm	10	1.06	21399	TB40085	6,10mm	63mm	101mm	10	2.44
21356	TB40042	2,70mm	33mm	61mm	10	1.06	21400	TB40086	6,20mm	63mm	101mm	10	2.44
21357	TB40043	2,75mm	33mm	61mm	10	0.92	21401	TB40087	6,25mm	63mm	101mm	10	2.32
21358	TB40044	2,80mm	33mm	61mm	10	1.05	21402	TB40088	6,30mm	63mm	101mm	10	2.48
21360	TB40046	2,90mm	33mm	61mm	10	1.05	21403	TB40089	6,40mm	63mm	101mm	10	2.48
21362	TB40048	3,00mm	33mm	61mm	10	0.86	21404	TB40090	6,50mm	63mm	101mm	10	2.22
21363	TB40049	3,10mm	36mm	65mm	10	1.10	21405	TB40091	6,60mm	63mm	101mm	10	2.73
21364	TB40050	3,20mm	36mm	65mm	10	1.10	21406	TB40092	6,70mm	63mm	101mm	10	2.73
21365	TB40051	3,25mm	36mm	65mm	10	0.94	21407	TB40093	6,75mm	69mm	109mm	10	2.59
21366	TB40052	3,30mm	36mm	65mm	10	1.17	21408	TB40094	6,80mm	69mm	109mm	10	2.71
21367	TB40053	3,40mm	39mm	70mm	10	1.17	21409	TB40095	6,90mm	69mm	109mm	10	2.98
21368	TB40054	3,50mm	39mm	70mm	10	0.93	21410	TB40096	7,00mm	69mm	109mm	10	2.66
21369	TB40055	3,60mm	39mm	70mm	10	1.28	21411	TB40097	7,10mm	69mm	109mm	10	3.16
21370	TB40056	3,70mm	39mm	70mm	10	1.28	21412	TB40098	7,20mm	69mm	109mm	5	3.31
21371	TB40057	3,75mm	39mm	70mm	10	1.04	21413	TB40099	7,25mm	69mm	109mm	5	3.10
21372	TB40058	3,80mm	43mm	75mm	10	1.34	21414	TB40100	7,30mm	69mm	109mm	5	3.40
21373	TB40059	3,90mm	43mm	75mm	10	1.34	21415	TB40101	7,40mm	69mm	109mm	5	3.40

MECHAS CILÍNDRICAS DE ACERO RÁPIDO

Rectificado Brillante DIN 338

MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	Cant. envas.	USD	MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	Cant. envas.	USD
21416	TB40102	7,50mm	69mm	109mm	5	3.20	21473	TB40159	12,25mm	101mm	151mm	5	10.09
21417	TB40103	7,60mm	75mm	117mm	5	3.75	21463	TB40160	12,30mm				10.91
21418	TB40104	7,70mm	75mm	117mm	5	3.75	21476	TB40162	12,50mm	101mm	151mm	5	11.35
21419	TB40105	7,75mm	75mm	117mm	5	3.57	21464	TB40164	12,70mm				9.42
21420	TB40106	7,80mm	75mm	117mm	5	3.85	21479	TB40165	12,75mm	101mm	151mm	1	11.35
21421	TB40107	7,90mm	75mm	117mm	5	3.85	21465	TB40166	12,80mm				12.12
21422	TB40108	8,00mm	75mm	117mm	5	3.47	21482	TB40168	13,00mm	101mm	151mm	1	11.62
21423	TB40109	8,10mm	75mm	117mm	5	4.10	21468	TB40170	13,20mm				19.01
21424	TB40110	8,20mm	75mm	117mm	5	4.32	21485	TB40171	13,25mm	108mm	160mm	1	18.63
21425	TB40111	8,25mm	75mm	117mm	5	3.91	21469	TB40172	13,30mm				19.01
21426	TB40112	8,30mm	75mm	117mm	5	4.22	21488	TB40174	13,50mm	108mm	160mm	1	18.08
21427	TB40113	8,40mm	75mm	117mm	5	4.32	21471	TB40176	13,70mm				20.17
21428	TB40114	8,50mm	75mm	117mm	5	4.01	21491	TB40177	13,75mm	108mm	160mm	1	20.12
21429	TB40115	8,60mm	81mm	125mm	5	4.81	21472	TB40178	13,80mm				20.71
21430	TB40116	8,70mm	81mm	125mm	5	4.69	21494	TB40180	14,00mm	108mm	160mm	1	20.18
21431	TB40117	8,75mm	81mm	125mm	5	4.33	21495	TB40181	14,25mm	114mm	169mm	1	21.45
21432	TB40118	8,80mm	81mm	125mm	5	4.74	21496	TB40182	14,50mm	114mm	169mm	1	21.70
21433	TB40119	8,90mm	81mm	125mm	5	4.96	21497	TB40183	14,75mm	114mm	169mm	1	22.82
21434	TB40120	9,00mm	81mm	125mm	5	4.48	21498	TB40184	15,00mm	114mm	169mm	1	22.85
21435	TB40121	9,10mm	81mm	125mm	5	5.23	21499	TB40185	15,25mm	120mm	178mm	1	26.26
21436	TB40122	9,20mm	81mm	125mm	5	5.23	21500	TB40186	15,50mm	120mm	178mm	1	26.26
21437	TB40123	9,25mm	81mm	125mm	5	5.02	21501	TB40187	15,75mm	120mm	178mm	1	28.38
21438	TB40124	9,30mm	81mm	125mm	5	5.42	21502	TB40188	16,00mm	120mm	178mm	1	25.86
21439	TB40125	9,40mm	81mm	125mm	5	5.42	21503	TB40189	16,25mm	125mm	184mm	1	30.58
21440	TB40126	9,50mm	81mm	125mm	5	5.05	21504	TB40190	16,50mm	125mm	184mm	1	30.58
21441	TB40127	9,60mm	87mm	133mm	5	6.09	21505	TB40191	16,75mm	125mm	184mm	1	30.58
21442	TB40128	9,70mm	87mm	133mm	5	6.09	21506	TB40192	17,00mm	125mm	184mm	1	30.58
21443	TB40129	9,75mm	87mm	133mm	5	5.72	21507	TB40193	17,25mm	130mm	191mm	1	35.66
21444	TB40130	9,80mm	87mm	133mm	5	6.15	21508	TB40194	17,50mm	130mm	191mm	1	35.66
21445	TB40131	9,90mm	87mm	133mm	5	6.15	21509	TB40195	17,75mm	130mm	191mm	1	35.66
21446	TB40132	10,00mm	87mm	133mm	5	5.86	21510	TB40196	18,00mm	130mm	191mm	1	36.05
21447	TB40134	10,20mm				7.40	21511	TB40197	18,25mm	135mm	198mm	1	39.20
21449	TB40135	10,25mm	87mm	133mm	5	6.90	21512	TB40198	18,50mm	135mm	198mm	1	36.09
21448	TB40136	10,30mm				7.75	21513	TB40199	18,75mm	135mm	198mm	1	42.38
21452	TB40138	10,50mm	87mm	133mm	5	7.45	21514	TB40200	19,00mm	135mm	198mm	1	37.65
21450	TB40140	10,70mm				8.17	21515	TB40201	19,25mm	140mm	205mm	1	45.71
21455	TB40141	10,75mm	94mm	142mm	5	8.42	21516	TB40202	19,50mm	140mm	205mm	1	37.71
21451	TB40142	10,80mm				8.48	21517	TB40203	19,75mm	140mm	205mm	1	49.09
21458	TB40144	11,00mm	94mm	142mm	5	8.75	21518	TB40204	20,00mm	140mm	205mm		45.21
21459	TB40145	11,00mm	94mm	142mm	5	9.00	21480	TB40206	21,00mm				Consultar
21453	TB40146	11,20mm				9.43	21481	TB40208	22,00mm				Consultar
21461	TB40147	11,25mm	94mm	142mm	5	9.21	21483	TB40210	23,00mm				Consultar
21454	TB40148	11,30mm				9.33	21484	TB40212	24,00mm				Consultar
21464	TB40150	11,50mm	94mm	142mm	5	9.42	21486	TB40214	25,00mm				Consultar
21456	TB40152	11,70mm				9.92	21487	TB40216	26,00mm				Consultar
21467	TB40153	11,75mm	94mm	142mm	5	9.94	21489	TB40218	28,00mm				Consultar
21457	TB40154	11,80mm				10.06	21490	TB40220	30,00mm				Consultar
21470	TB40156	12,00mm	101mm	151mm	5	10.07							
21462	TB40158	12,20mm				11.14							

MECHAS CILÍNDRICAS DE ACERO RÁPIDO

DIN 338

MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo
21300	40224	1/16"	23mm	48mm
21301	40225	5/64"	26mm	52mm
21302	40226	3/32"	33mm	58mm
21303	40228	1/8"	42mm	71mm
21304	40230	5/32"	52mm	80mm
21305	40232	3/16"	60mm	90mm
21306	40234	7/32"	66mm	97mm

USD

884.34

1,668.83

2,382.01

Consultar

Consultar

Consultar

2,382.04

MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo
21307	40236	1/4"	72mm	104mm
21308	40240	5/16"	83mm	116mm
21309	40244	3/8"	95mm	130mm
21310	40248	7/16"	106mm	143mm
21311	40252	1/2"	118mm	156mm
21312	40256	9/16"	127mm	173mm
21313	40260	5/8"	137mm	186mm

USD

Consultar

1,668.83

2,382.01

3,580.15

Consultar

7,160.30

10,212.70

JUEGO DE MECHAS Y BROCAS

Juegos de Mechasy Brocas Cilíndricas de Acero Rápido DIN 338

MAF.	TWILL	Descripción	USD
21543	TB14891	TW104 DIN 338 13 UNDS (1,5 - 6,5 mm)	74.63
MAF.	TWILL	Descripción	USD
21546	TB14892	TW104 DIN 338 19 UNDS (1 - 10 mm)	83.67
MAF.	TWILL	Descripción	USD
21547	TB14893	TW104 DIN 338 19 UNDS (1 - 10 mm)	157.16



MAF.	TWILL	Descripción	USD
21549	TB14894	TW104 DIN 338 19 UNDS (1 - 13 mm)	123.48
MAF.	TWILL	Descripción	USD
21542	TB14899	HSS DRILL SET DIN 338 TW100 ABS 19P	245.84
MAF.	TWILL	Descripción	USD
21544	TB14900	THSS DRILL SET DIN 338 TW100 ABS 25P	Consultar



Exhibidor - Expendedor Puede Contener 161 Mech Cilíndricas de Acero Rápido

Medida	Cant.	Medida	Cant.	Medida	Cant.
1,00mm	6	5,00mm	6	9,25mm	2
1,25mm	4	5,25mm	4	9,50mm	2
1,50mm	6	5,50mm	6	9,75mm	2
1,75mm	4	5,75mm	4	10,00mm	2
2,00mm	6	6,00mm	6	10,25mm	2
2,25mm	4	6,25mm	4	10,50mm	2
2,50mm	6	6,50mm	4	10,75mm	2
2,75mm	4	6,75mm	4	11,00mm	1
3,00mm	6	7,00mm	4	11,25mm	1
3,25mm	4	7,25mm	2	11,50mm	1
3,50mm	6	7,50mm	2	11,75mm	1
3,75mm	4	7,75mm	2	12,00mm	1
4,00mm	6	8,00mm	2	12,25mm	1
4,25mm	4	8,25mm	2	12,50mm	1
4,50mm	6	8,50mm	2	12,75mm	1
4,75mm	4	8,75mm	2	13,00mm	1
		9,00mm	2		




MECHAS CILÍNDRICAS DE ACERO RÁPIDO

Serie Larga • Rectificado Brillante DIN 340

MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo
21548	41056	1,00mm	33mm	56mm
21550	41061	1,50mm	45mm	70mm
21552	41067	2,00mm	56mm	85mm
21553	41072	2,25mm	59mm	90mm
21554	41075	2,50mm	62mm	95mm
21555	41080	2,75mm	66mm	100mm
21556	41084	3,00mm	66mm	100mm
21557	41087	3,25mm	69mm	106mm
21558	41090	3,50mm	73mm	112mm
21559	41093	3,75mm	73mm	112mm
21560	41096	4,00mm	78mm	119mm
21561	41099	4,25mm	78mm	119mm
21562	41102	4,50mm	82mm	126mm
21563	41105	4,75mm	82mm	126mm
21564	41108	5,00mm	87mm	132mm
21565	41111	5,25mm	87mm	132mm
21566	41114	5,50mm	91mm	139mm
21567	41117	5,75mm	91mm	139mm
21568	41120	6,00mm	91mm	139mm
21569	41123	6,25mm	97mm	148mm
21570	41126	6,50mm	97mm	148mm

USD

Consultar
0.95
Consultar
0.93
Consultar
Consultar
Consultar
Consultar
Consultar
1.30
Consultar
Consultar
Consultar
1.64
Consultar
Consultar
Consultar
1.96
Consultar
2.30
Consultar



MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo
21571	41129	6,75mm	97mm	148mm
21572	41132	7,00mm	102mm	156mm
21573	41135	7,25mm	102mm	156mm
21574	41138	7,50mm	102mm	156mm
21575	41141	7,75mm	109mm	165mm
21576	41144	8,00mm	109mm	165mm
21577	41147	8,25mm	109mm	165mm
21578	41150	8,50mm	109mm	165mm
21579	41153	8,75mm	115mm	175mm
21580	41156	9,00mm	115mm	175mm
21581	41159	9,25mm	115mm	175mm
21582	41161	9,50mm	115mm	175mm
21583	41164	9,75mm	121mm	184mm
21584	41167	10,00mm	121mm	184mm
21586	41173	10,50mm	121mm	184mm
21588	41178	11,00mm	128mm	195mm
21590	41184	11,50mm	128mm	195mm
21592	41190	12,00mm	134mm	205mm
21594	41192	12,50mm	134mm	205mm
21596	41194	13,00mm	134mm	205mm


USD

2.65
Consultar
3.00
3.12
3.33
Consultar
3.70
3.82
4.07
4.20
4.58
4.77
5.15
Consultar
5.77
6.33
6.83
7.30
7.58
7.85

MECHAS CILÍNDRICAS DE ACERO RÁPIDO

Serie Extra Larga DIN 1869/3

MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	USD
21880	41880	3,00mm	161mm	239mm	9.36
21881	41882	4,00mm	190mm	280mm	Consultar
21882	41884	5,00mm	210mm	315mm	Consultar
21883	41886	6,00mm	225mm	330mm	11.05
21884	41888	7,00mm	250mm	370mm	Consultar
21885	41890	8,00mm	265mm	390mm	Consultar




MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	USD
21886	41892	9,00mm	280mm	410mm	24.49
21887	41894	10,00mm	295mm	430mm	Consultar
21888	41896	11,00mm	310mm	455mm	29.99
21889	41898	12,00mm	330mm	480mm	43.98
21890	41900	13,00mm	330mm	480mm	45.93

MECHAS DE ACERO RÁPIDO

Cabo Cónico DIN 345


MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	Cono	USD
21610	41961	10,00mm	87mm	168mm	1	Consultar
21611	41964	10,25mm	87mm	168mm	1	8.98
21612	41967	10,50mm	87mm	168mm	1	Consultar
21613	41970	10,75mm	94mm	175mm	1	9.03
21614	41973	11,00mm	94mm	175mm	1	9.03
21615	41976	11,25mm	94mm	175mm	1	9.06
21616	41979	11,50mm	94mm	175mm	1	9.09
21617	41982	11,75mm	101mm	182mm	1	9.23
21618	41985	12,00mm	101mm	182mm	1	9.30
21619	41989	12,25mm	101mm	182mm	1	10.37
21620	41992	12,50mm	101mm	182mm	1	Consultar
21621	41994	12,75mm	101mm	182mm	1	Consultar
21622	41997	13,00mm	101mm	182mm	1	Consultar
21623	42000	13,25mm	108mm	189mm	1	11.21
21624	42003	13,50mm	108mm	189mm	1	Consultar
21625	42006	13,75mm	108mm	189mm	1	11.90
21626	42009	14,00mm	108mm	189mm	1	Consultar
21627	42012	14,25mm	114mm	212mm	2	Consultar
21628	42015	14,50mm	114mm	212mm	2	Consultar
21629	42018	14,75mm	114mm	212mm	2	13.39
21630	42021	15,00mm	114mm	212mm	2	Consultar
21631	42024	15,25mm	120mm	218mm	2	14.20
21632	42027	15,50mm	120mm	218mm	2	14.47
21633	42030	15,75mm	120mm	218mm	2	15.01
21634	42033	16,00mm	120mm	218mm	2	Consultar
21635	42036	16,25mm	125mm	223mm	2	Consultar
21636	42039	16,50mm	125mm	223mm	2	Consultar



MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	Cono	USD
21637	42042	16,75mm	125mm	223mm	2	16.43
21638	42045	17,00mm	125mm	223mm	2	Consultar
21639	42048	17,25mm	130mm	228mm	2	17.23
21640	42051	17,50mm	130mm	228mm	2	Consultar
21641	42054	17,75mm	130mm	228mm	2	18.08
21642	42057	18,00mm	130mm	228mm	2	Consultar
21643	42060	18,25mm	135mm	233mm	2	18.77
21644	42063	18,50mm	135mm	233mm	2	18.99
21645	42066	18,75mm	135mm	233mm	2	19.40
21646	42069	19,00mm	135mm	233mm	2	Consultar
21647	42072	19,25mm	140mm	238mm	2	Consultar
21648	42075	19,50mm	140mm	238mm	2	Consultar
21649	42078	19,75mm	140mm	238mm	2	20.24
21650	42081	20,00mm	140mm	238mm	2	Consultar
21651	42084	20,25mm	145mm	243mm	2	Consultar
21652	42087	20,50mm	145mm	243mm	2	Consultar
21653	42090	20,75mm	145mm	243mm	22	21.16
21654	42093	21,00mm	145mm	243mm	2	Consultar
21655	42096	21,25mm	150mm	248mm	2	21.71
21656	42099	21,50mm	150mm	248mm	2	21.75
21657	42102	21,75mm	150mm	248mm	2	Consultar
21658	42105	22,00mm	150mm	248mm	2	Consultar
21659	42106	22,25mm	155mm	253mm	2	Consultar
21660	42107	22,50mm	155mm	253mm	2	Consultar
21661	42108	22,75mm	155mm	253mm	2	22.90
21662	42109	23,00mm	155mm	253mm	3	Consultar
21663	42110	23,25mm	155mm	276mm	3	24.47

MECHAS DE ACERO RÁPIDO

Cabo Cónico DIN 345



MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	Cono	USD
21664	42111	23,50mm	155mm	276mm	3	Consultar
21665	42112	23,75mm	160mm	281mm	3	25.95
21666	42113	24,00mm	160mm	281mm	3	Consultar
21667	42114	24,25mm	160mm	281mm	3	27.17
21668	42115	24,50mm	160mm	281mm	3	Consultar
21669	42116	24,75mm	160mm	281mm	3	Consultar
21670	42117	25,00mm	160mm	281mm	3	Consultar
21671	42118	25,25mm	165mm	286mm	3	Consultar
21672	42119	25,50mm	165mm	286mm	3	Consultar
21673	42120	25,75mm	165mm	286mm	3	30.54
21674	42121	26,00mm	165mm	286mm	3	Consultar
21675	42122	26,25mm	165mm	286mm	3	32.08
21676	42123	26,50mm	165mm	286mm	3	Consultar
21677	42124	26,75mm	170mm	291mm	3	33.80
21678	42125	27,00mm	170mm	291mm	3	Consultar
21679	42126	27,25mm	170mm	291mm	3	Consultar
21680	42127	27,50mm	170mm	291mm	3	34.72
21681	42128	27,75mm	170mm	291mm	3	34.95
21682	42129	28,00mm	170mm	291mm	3	Consultar
21683	42130	28,25mm	175mm	296mm	3	Consultar
21684	42131	28,50mm	175mm	296mm	3	Consultar
21685	42132	28,75mm	175mm	296mm	3	37.21
21686	42133	29,00mm	175mm	296mm	3	Consultar
21687	42134	29,25mm	175mm	296mm	3	38.31
21688	42135	29,50mm	175mm	296mm	3	38.65
21689	42136	29,75mm	175mm	296mm	3	39.33
21690	42137	30,00mm	175mm	296mm	3	Consultar
21691	42138	30,25mm	180mm	301mm	3	Consultar
21692	42139	30,50mm	180mm	301mm	3	Consultar
21693	42140	30,75mm	180mm	301mm	3	Consultar
21694	42141	31,00mm	180mm	301mm	3	Consultar
21695	42142	31,25mm	180mm	301mm	3	Consultar
21696	42143	31,50mm	180mm	301mm	4	Consultar
21697	42144	31,75mm	185mm	334mm	4	Consultar

MAF.	TWILL	dm de CORTE	Largode CORTE	Total Largo	Cono	USD
21698	42145	32,00mm	185mm	334mm	4	Consultar
21699	42147	32,50mm	185mm	334mm	4	55.10
21700	42149	33,00mm	185mm	334mm	4	58.07
21701	42150	33,50mm	185mm	334mm	4	59.76
21702	42151	34,00mm	190mm	339mm	4	Consultar
21703	42152	34,50mm	190mm	339mm	4	62.74
21704	42153	35,00mm	190mm	339mm	4	Consultar
21705	42154	35,50mm	190mm	339mm	4	66.43
21706	42155	36,00mm	195mm	344mm	4	68.85
21707	42156	36,50mm	195mm	344mm	4	70.34
21708	42157	37,00mm	195mm	344mm	4	71.83
21709	42158	37,50mm	195mm	344mm	4	73.71
21710	42159	38,00mm	200mm	349mm	4	Consultar
21711	42160	38,50mm	200mm	349mm	4	77.88
21712	42161	39,00mm	200mm	349mm	4	80.18
21713	42162	39,50mm	200mm	349mm	4	Consultar
21714	42163	40,00mm	200mm	349mm	4	Consultar
21715	42164	40,50mm	205mm	354mm	4	88.04
21716	42165	41,00mm	205mm	354mm	4	Consultar
21717	42166	41,50mm	205mm	354mm	4	94.13
21718	42167	42,00mm	205mm	354mm	4	95.53
21719	42168	42,50mm	205mm	354mm	4	100.08
21720	42169	43,00mm	210mm	359mm	4	104.62
21721	42170	43,50mm	210mm	359mm	4	104.95
21722	42171	44,00mm	210mm	359mm	4	Consultar
21723	42172	44,50mm	210mm	359mm	4	Consultar
21724	42173	45,00mm	210mm	359mm	4	Consultar
21725	42174	45,50mm	215mm	364mm	4	114.15
21726	42175	46,00mm	215mm	364mm	4	115.56
21727	42177	47,00mm	215mm	364mm	4	Consultar
21728	42179	48,00mm	220mm	369mm	4	Consultar
21729	42181	49,00mm	220mm	369mm	4	144.75
21730	42183	50,00mm	220mm	369mm	4	Consultar

Mechas para Centrar de Acero Rápido • DIN 333



MAF.	TWILL	dm de CORTE	dm de Cuerpo	USD
21790	42721	1,00mm	3,15mm	2.01
21791	42722	1,25mm	3,15mm	2.07
21792	42723	1,60mm	4,00mm	2.07
21793	42724	2,00mm	5,00mm	Consultar
21794	42725	2,50mm	6,30mm	Consultar
21795	42726	3,15mm	8,00mm	Consultar

MAF.	TWILL	dm de CORTE	dm de Cuerpo	USD
21796	42727	4,00mm	10,00mm	Consultar
21797	42728	5,00mm	12,50mm	Consultar
21798	42729	6,30mm	16,00mm	11.31
21799	42730	8,00mm	20,00mm	21.79
21800	42731	10,00mm	25,00mm	25.75

MECHAS DE ACERO RÁPIDO


Fresas de Punta • Cabo Cilíndrico • 2 Cortes de Acero Rápido • DIN 327

MAF.	TWILL	dm de CORTE	Largo de CORTE	Total de Largo	USD
21736	37932	4,00mm	8mm	40mm	2.17
21737	37936	6,00mm	8mm	52mm	Consultar a representante.
21738	37940	8,00mm	11mm	58mm	Consultar a representante.
21739	37943	10,00mm	13mm	63mm	Consultar a representante.
21740	37944	12,00mm	16mm	73mm	3.55



Fresas de Punta • Cabo Cilíndrico • 4 Cortes de Acero Rápido • DIN 844 A

MAF.	TWILL	dm de CORTE	Largo de CORTE	Total de Largo	USD
21750	38017	3,00mm	8mm	40mm	Consultar a representante.
21751	38019	4,00mm	11mm	45mm	Consultar a representante.
21752	38021	5,00mm	13mm	50mm	Consultar a representante.
21753	38023	6,00mm	13mm	57mm	Consultar a representante.
21754	38025	7,00mm	16mm	60mm	Consultar a representante.
21755	38027	8,00mm	19mm	63mm	Consultar a representante.
21756	38029	9,00mm	19mm	69mm	Consultar a representante.
21757	38031	10,00mm	22mm	72mm	Consultar a representante.
21758	38033	11,00mm	22mm	79mm	Consultar a representante.
21759	38035	12,00mm	24mm	80mm	Consultar a representante.
21760	38036	13,00mm	26mm	83mm	Consultar a representante.
21761	38037	14,00mm	26mm	83mm	Consultar a representante.
21762	38038	15,00mm	26mm	83mm	Consultar a representante.
21763	38039	16,00mm	32mm	92mm	Consultar a representante.
21764	38040	17,00mm	32mm	92mm	6.74
21765	38041	18,00mm	32mm	92mm	Consultar a representante.
21766	38042	19,00mm	32mm	92mm	Consultar a representante.
21767	38043	20,00mm	38mm	104mm	Consultar a representante.
21768	38045	22,00mm	38mm	104mm	Consultar a representante.
21769	38047	24,00mm	45mm	121mm	11.30
21770	38048	25,00mm	45mm	121mm	Consultar a representante.



EXHIBIDOR de Brocas HSS - 280 PCS

TWILL	descripción	Cant. unid.
TB40008	Broca HSS DIN 338 TW104 X 01.00MM	10
TB40018	Broca HSS DIN 338 TW104 X 01.50MM	10
TB40028	Broca HSS DIN 338 TW104 X 02.00MM	10
TB40038	Broca HSS DIN 338 TW104 X 02.50MM	10
TB40048	Broca HSS DIN 338 TW104 X 03.00MM	30
TB40054	Broca HSS DIN 338 TW104 X 03.50MM	20
TB40060	Broca HSS DIN 338 TW104 X 04.00MM	20
TB40066	Broca HSS DIN 338 TW104 X 04.50MM	10
TB40072	Broca HSS DIN 338 TW104 X 05.00MM	30
TB40078	Broca HSS DIN 338 TW104 X 05.50MM	10
TB40084	Broca HSS DIN 338 TW104 X 06.00MM	50
TB40090	Broca HSS DIN 338 TW104 X 06.50MM	10
TB40096	Broca HSS DIN 338 TW104 X 07.00MM	10
TB40108	Broca HSS DIN 338 TW104 X 08.00MM	40
TB40120	Broca HSS DIN 338 TW104 X 09.00MM	5
TB40132	Broca HSS DIN 338 TW104 X 10.00MM	5

CONSULTAR PRECIO

CÓDIGO MAFERSA 30174

